Material Safety Data Sheet/MSDS

Update/Обновление 28/11/23

Version/Версия EN 4.1

- - -

#			
1 Identi	1 Identification of the preparation and company		
1.1. Identification of the substance/preparation			
1.1.1.	Product name	Fragrance Lilac French EGD 17794	
1.1.2.	Specifications	Ukrainian requirements specification	
		24.5-31613817-006-2004	
1.1.3.	Export tariff code	Ukrainian export tariff code 3302909000	
1.2.	Description of proc	duct and application domain	
1.2.1.	Description of product	Multicomponent mixture of natural and/or synthetic raw materials	
1.2.2.	Application domain	Used as raw materials for manufacturing of perfumery, cosmetics and household chemical goods	
1.3.	Company identific	ation	
1.3.2.	General activity	Fragrance, flavour, auto cosmetology, industrial and home chemistry	
1.3.3.	Legal address	Georgia, Poti, Industrial Zone, Plot 545, Internal #265	
1.3.4.	Manufacture address	Georgia, Poti, Industrial Zone, Plot 545, Internal #265	
1.3.5.	Internet site	aromafrg.com	
1.3.6.	E-mail	p.kopaleishvili@gmail.com	
1.3.7.	Department of sales	p.kopaleishvili@gmail.com Monday-Friday (in working days) from 09:00 till 17:00	
1.3.8.	Responsible	Koba Kiladze, technologist - technolog	
	person for MSDS		
1.4.	Emergency phone		
1.4.1.	Contact person	Koba Kiladze, technologist - technolog	
1.4.2.	Phone		
2 Hazar	rds identification		
2.1.	GeneralFragrance is a mixture of organic components. Long contact with		
	skin, in contact with the eyes and very intensive inhalation may cause		
	irritation.		
2.2.	Conformity to	The product is not classified hazardous in accordance	
• -	specifications	with Directives 67/548/EEC and 1999/45/EC	
2.3.	Environment	When spilled, can contaminate soil, ground and surface water.	
2.4.	Additional	Additional information can be indicated on the label	
H	information	(look section 15)	
3 Composition/information on ingredients			

_ _ _.

Version/Версия EN 4.1 Fragrance Lilac French EGD 17794

3.1.GeneralHazardous components are within the meaning of
EEC-regulations, instructions, and the second
amendment 1999/45/EC SDS-instruction
2001/58/EC of the appropriate classification

Number CAS	Name	Quantity %
9005-64-5	Polysorbate 20	0%-0%
9005-65-6	Полисорбат- 80	8% -13%
101-86-0 165184-98-5	Hexyl Cinnamic Aldehyde Alpha	0,6% -1%
140-11-4	Benzyl Acetate	0,4% -0,7%
80-54-6	Lilial (Lysmeral)	0,3% -0,5%
104-54-1	Cinnamic Alcohol	0,3% -0,5%
123-11-5	Anisic Aldehyde	0,2% -0,4%
78-70-6	Linalool	0,2% -0,3%
106-22-9	Citronellol 97%	0,2% -0,3%
107-75-5	Hydroxycitronellal	0,09% -0,2%
1222-05-5	Musk 50 IPM	0,05% -0,08%
100-51-6	Benzyl Alcohol FOOD GRADE	0,03% -0,05%
118-58-1	Benzyl Salicylate	0,03% -0,05%
27939-60-2 68039-49-6	Trivertal	0,03% -0,05%
97-54-1 5932-68-3	Isoeugenol	0,02% -0,04%
5989-27-5 8028-48-6	D-Limonene	0,02% -0,03%
91-64-5	Coumarine	0,006% -0,01%
106-24-1	Geraniol Fine 98%	0,006% -0,01%
100-52-7	Benzoic Aldehyde (Benzaldehyde)	0,003% -0,005%
127-51-5 1335-46-2	Methyl Ionone Gamma (Gamma-Methylionone-Isonaline 70)	0,003% -0,005%
104-55-2	Cinnamic Aldehyde	0,003% -0,005%

3.2. Hazardous components (if any)

H		
4.1.	Necessity of	There is no necessity(At correct observance listed
	immediate	below procedures)
	intervention of the	
	qualified medical	
	personnel	
4.2.	Eye exposure	Immediately to wash eyes by running water no less
		than 10 minutes. Consult a qualified medical
		personnel.
4.3.	Skin exposure	Remove the dirty clothes. Skin wash with plenty of
		running water (preferably with soap). Consult a
		qualified medical personnel.
		1 1

Update/Обновление 28/11/23	

Version/Версия EN 4.1 Fragrance Lilac French EGD 17794 4.4. If you get inside Induce vomiting. Consult a qualified medical

 4.5. When inhaled Fresh air is necessary. Air a premise. To address to the qualified medical personnel. 5 Fire-fighting measures 5.1. General Not dangerously 5.2. Recommended Water, CO2, Foam, Chemical powders fire-extinguishers 5.3. Special fire Not required equipment 5.4. Forbidden No information facilities of extinguishing of fires 5.5. Recommendations Do not use a direct water stream on a burning about behavior on material. Avoid a steam inhalation. Apply means of a fire an individual defense of respiratory ways. 6 Measures on prevention and liquidation of emergencies 6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection soil 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	т.т.			
the qualified medical personnel. 5 Fire-fighting measures 5.1. General Not dangerously 5.2. Recommended fire-extinguishers Water, CO2, Foam, Chemical powders fire-extinguishers 5.3. Special fire equipment Not required equipment 5.4. Forbidden fires No information facilities of extinguishing of fires 5.5. Recommendations Do not use a direct water stream on a burning about behavior on a fire 6 Measures on prevention and liquidation of emergencies 6.1. 6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment protection You keep far from the surface of ground-waters and protection 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. <td></td> <td>(swallowing)</td> <td>personnel.</td>		(swallowing)	personnel.	
5 Fire-fighting measures 5.1. General Not dangerously 5.2. Recommended Water, CO2, Foam, Chemical powders fire-extinguishers 5.3. Special fire Not required equipment 5.4. Forbidden No information facilities of extinguishing of fires 5.5. Recommendations Do not use a direct water stream on a burning about behavior on material. Avoid a steam inhalation. Apply means of a fire 6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection soil 6.2.1. 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Stor	4.5.	When inhaled		
5.1. General Not dangerously 5.2. Recommended fire-extinguishers Water, CO2, Foam, Chemical powders fire-extinguishers 5.3. Special fire equipment Not required equipment 5.4. Forbidden No information facilities of extinguishing of fires 5.5. Recommendations Do not use a direct water stream on a burning about behavior on a fire 6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire.When transported and stored a	#		the qualified medical personnel.	
 5.2. Recommended fire-extinguishers 5.3. Special fire Not required equipment 5.4. Forbidden No information facilities of extinguishing of fires 5.5. Recommendations Do not use a direct water stream on a burning about behavior on material. Avoid a steam inhalation. Apply means of a fire an individual defense of respiratory ways. 6 Measures on prevention and liquidation of emergencies 6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection soil 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Stora a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	5 Fire-f	ighting measures		
fire-extinguishers 5.3. Special fire equipment 5.4. Forbidden fires 5.5. Recommendations bout behavior on a fire material. Avoid a steam inhalation. Apply means of a fire 6.1. Preventing emergency 6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment protection soil for case of allergic reactions will address to the qualified medical personnel 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store fa	5.1.	General	Not dangerously	
 5.3. Special fire equipment 5.4. Forbidden No information facilities of extinguishing of fires 5.5. Recommendations Do not use a direct water stream on a burning about behavior on material. Avoid a steam inhalation. Apply means of a fire an individual defense of respiratory ways. 6 Measures on prevention and liquidation of emergencies 6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection soil 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	5.2.	Recommended	Water, CO2, Foam, Chemical powders	
equipment5.4.ForbiddenNo informationfacilities ofextinguishing offiresfires5.5.RecommendationsDo not use a direct water stream on a burningabout behavior onmaterial. Avoid a steam inhalation. Apply means ofa firean individual defense of respiratory ways.6 Measures on prevention and liquidation of emergencies6.1.Preventing emergency6.1.1.Personal safetyAvoid excessive inhalation and contact with skin and eyes. Use gloves and protective clothes, compulsory ventilation.6.1.2.Environment protection6.2.1.Personal safetyIn case of allergic reactions will address to the qualified medical personnel6.2.2.At fire6.2.3.Cleaning methodsGross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories.7Rules of appeal and storage7.1.Storage8Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams.6.1.Store a from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30°		fire-extinguishers		
 5.4. Forbidden No information facilities of extinguishing of fires 5.5. Recommendations Do not use a direct water stream on a burning about behavior on material. Avoid a steam inhalation. Apply means of a fire an individual defense of respiratory ways. 6 Measures on prevention and liquidation of emergencies 6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection soil 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	5.3.	Special fire	Not required	
facilities of extinguishing of fires5.5.Recommendations a bout behavior on a fireDo not use a direct water stream on a burning about behavior on material. Avoid a steam inhalation. Apply means of a fire6 Measures on prevention and liquidation of emergencies6.1.6.1.Preventing emergency6.1.1.Personal safetyAvoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation.6.1.2.Environment protection soil6.2.Liquidation of emergencies6.2.1.Personal safetyIn case of allergic reactions will address to the qualified medical personnel6.2.2.At fire ventilation. Avoid excessive inhalation of steams.6.2.3.Cleaning methodsGross spillage should be contained immediately by use of sand or inert powder and utilized carefully wash out water corresponding sites and according to local regulations. After product utilized carefully wash out water corresponding sites and according to local regulations. After product utilized carefully wash out water corresponding sites and according to local regulations. After product utilized carefully wash out water corresponding sites and according to local regulations. After product utilized carefully wash out water corresponding sites and according to local regulation sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30°		equipment		
extinguishing of fires5.5.Recommendations about behavior on a fireDo not use a direct water stream on a burning about behavior on material. Avoid a steam inhalation. Apply means of a fire6 Measures on prevention and liquidation of emergencies6.1.6.1.Preventing emergency6.1.1.Personal safetyAvoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation.6.1.2.Environment protection soil6.2.Liquidation of emergencies6.2.1.Personal safetyIn case of allergic reactions will address to the qualified medical personnel6.2.2.At fireRemove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams.6.2.3.Cleaning methodsGross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories.7Rules of appeal and storage7.1.Storage8Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30°	5.4.	Forbidden	No information	
fires 5.5. Recommendations Do not use a direct water stream on a burning about behavior on a fire an individual defense of respiratory ways. 6 Measures on prevention and liquidation of emergencies 6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment you keep far from the surface of ground-waters and protection soil 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° <td></td> <td>facilities of</td> <td></td>		facilities of		
 5.5. Recommendations Do not use a direct water stream on a burning about behavior on material. Avoid a steam inhalation. Apply means of a fire an individual defense of respiratory ways. 6 Measures on prevention and liquidation of emergencies 6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin an eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection soil 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 		extinguishing of		
about behavior on a firematerial. Avoid a steam inhalation. Apply means of a fire6 Measures on prevention and liquidation of emergencies6.1.Preventing emergency6.1.1.Personal safetyAvoid excessive inhalation and contact with skin and eyes. Use gloves and protective clothes, compulsory ventilation.6.1.2.Environment protectionYou keep far from the surface of ground-waters and protection6.2.Liquidation of emergencies6.2.1.Personal safetyIn case of allergic reactions will address to the qualified medical personnel6.2.2.At fireRemove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams.6.2.3.Cleaning methodsGross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories.7Rules of appeal and storage7.1.StorageStore a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30°		fires		
a firean individual defense of respiratory ways.6 Measures on prevention and liquidation of emergencies6.1.Preventing emergency6.1.1.Personal safetyAvoid excessive inhalation and contact with skin and eyes. Use gloves and protective clothes, compulsory ventilation.6.1.2.Environment protectionYou keep far from the surface of ground-waters and soil6.2.Liquidation of emergencies6.2.1.Personal safetyIn case of allergic reactions will address to the qualified medical personnel6.2.2.At fireRemove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams.6.2.3.Cleaning methodsGross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories.7Rules of appeal and storage7.1.StorageStore a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30°	5.5.	Recommendations	Do not use a direct water stream on a burning	
6 Measures on prevention and liquidation of emergencies 6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin and eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30°		about behavior on	material. Avoid a steam inhalation. Apply means of	
6.1. Preventing emergency 6.1.1. Personal safety Avoid excessive inhalation and contact with skin and eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection 6.1.2. Environment You keep far from the surface of ground-waters and protection 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30°	d	a fire	an individual defense of respiratory ways.	
 6.1.1. Personal safety Avoid excessive inhalation and contact with skin and eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection soil 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	6 Meas	ures on prevention a	nd liquidation of emergencies	
 eyes. Use gloves and protective clothes, compulsory ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection soil 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	6.1.	Preventing emerger	ncy	
 ventilation. 6.1.2. Environment You keep far from the surface of ground-waters and protection soil 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	6.1.1.	Personal safety	Avoid excessive inhalation and contact with skin and	
 6.1.2. Environment protection soil 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 			eyes. Use gloves and protective clothes, compulsory	
 protection soil 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 			ventilation.	
 6.2. Liquidation of emergencies 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	6.1.2.	Environment	You keep far from the surface of ground-waters and	
 6.2.1. Personal safety In case of allergic reactions will address to the qualified medical personnel 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 		protection	soil	
 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	6.2.	Liquidation of eme	rgencies	
 6.2.2. At fire Remove ignition sources. Provide adequate ventilation. Avoid excessive inhalation of steams. 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	6.2.1.	Personal safety	In case of allergic reactions will address to the	
 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 			qualified medical personnel	
 6.2.3. Cleaning methods Gross spillage should be contained immediately by use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. 7 Rules of appeal and storage 7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	6.2.2.	At fire	Remove ignition sources. Provide adequate	
 use of sand or inert powder and utilized of according to local regulations. After product utilized carefully wash out water corresponding sites and accessories. Rules of appeal and storage Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 			ventilation. Avoid excessive inhalation of steams.	
 to local regulations. After product utilized carefully wash out water corresponding sites and accessories. Rules of appeal and storage Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 	6.2.3.	Cleaning methods	Gross spillage should be contained immediately by	
 wash out water corresponding sites and accessories. Rules of appeal and storage Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 			use of sand or inert powder and utilized of according	
 Rules of appeal and storage Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire. When transported and stored according to requirements, with the temperature from 0° to +30° 			to local regulations. After product utilized carefully	
7.1. Storage Store a product in strongly closed container, in well aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire.When transported and stored according to requirements, with the temperature from 0° to +30°			wash out water corresponding sites and accessories.	
aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire.When transported and stored according to requirements, with the temperature from 0° to $+30^{\circ}$	7			
aired dark dry premise far from direct solar beams. Store far from sources of ignition and open fire.When transported and stored according to requirements, with the temperature from 0° to $+30^{\circ}$	7.1.	Storage	Store a product in strongly closed container, in well	
fire. When transported and stored according to requirements, with the temperature from 0° to $+30^{\circ}$				
requirements, with the temperature from 0° to $+30^{\circ}$			Store far from sources of ignition and open	
			fire.When transported and stored according to	
C.				
			C.	

version/E	Зерсия EN 4.1	Fragrance Lilac French EGD 17794
7.2.	Appeal with a product	Take to the minimum inhalation and contact with a skin
7.3.	Appeal after completion of shelf-life	If storage is made longer specified term, before use quality check is necessary
7.4.	Appeal with a fire	It is necessary it will be discharged of sources of ignition and a naked flame
8 Conti	rol of levels of influe	nce and measure on personnel safety
8.1.	Protection of breathing organs	Enough good natural ventilation. To avoid excessive inhalation of concentrated steams.
8.2.	Protection of skin	To apply chemically proof rubber gloves
8.3.	Protection of eyes	To use goggles, it is desirable with without splinter glasses
9 Physi	ical and chemical pro	operties
9.1.	Appearance	Mobile transparent liquid, opalescence is allowed
9.2.	ColorëFrom colorle	ess to the brown
9.3.	Smell	Characteristic for this kind
9.4.	Flash point	> 61° C
9.5.	Relative density at 20°C	0,9 - 1,6 g/см ³
9.6.	Solubility	Complete in an alcohol, limited in water
9.7.	Index of refraction at 20°C	0,9-1,8 conditional units
10 Stab	oility and reactivity	
10.1.	Reactivity	In contact with water not reactivity
10.2.	Decomposition	Carbon monoxide and unidentified organic compounds can be formed in investigation of combustion
11 Toxi	icological informatio	n
11.1.	General	Based on the ingredients in this composition and their concentrations, this product is according to th conventional method of EEC directive 88/379/EEC classified as:
May ca	use sensitization by	skin contact.
12	Ecological informa	tion
12.1.	General	Aromatic compositions do not accumulate in an environment and does not create ecological

Update/Обновление 28/11/23

Version/Версия EN 4.1

Fragrance Lilac French EGD 17794

13.1.	General	To avoid a hit in the drainage system. Utilization in obedience to local rules.
14 Tran	sport information	
14.1.	General	It is not classified as dangerous at transportation
14.2.	Special information	It is not classified as dangerous cargo according to the expert judgments of the Ukrainian language of Cargo Bureau at the Ministry of Transport and Communication of Ukraine №70GB06.09 from 08/10/2009.
14.3.	ADR/RID	not restricted
14.4.	ICAO/IATA	not restricted
14.5.	IMO/IMDG	not restricted
14.6.	UN number	no classifications
14.7.	Motorway (ADR)	not restricted
14.8.	Railway (RID)	not restricted
14.9.	Air (ICAO/IIATA)	not restricted
14.10.	Sea (IMO)	not restricted
15 Norr	native information	
15.1.	Label	The label contains: the product name, gross weight, net weight, number of party of manufacturing, requisites of manufacturer, the recommendation about storage and transportation, number of specifications.
16 Additional information		
16.1.	General	The information specified in the given document, is true so, how much allow to judge the data which is available by the time of updating